

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	156	(fail\$4 near1 over near1 switch)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L2	139	L1 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L3	23	L2 and ((verif\$7 indentif\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L4	41398	((verif\$7 indentif\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L5	38857	L4 and (chip\$1 device\$1 circuit\$1 module\$1 PWB\$1 print\$3 near wir\$3 near board\$1 semiconductor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L6	33209	L5 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L7	5732	L6 and "714"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10

L8	2774	L7 and ((number\$3 count\$3 tail\$4 total\$4 calculat\$3 comput\$3 tabulat\$3 add\$3 reckon\$4) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 line\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L9	2736	L8 and ((transmi\$5 send\$3 communicat\$3 transfer\$3 broadcast\$3 exchang\$3 access\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L10	11	L9 and (fail with over with switch)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L11	49	L9 and (fail\$4 with over with switch)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L12	1	("5,440,538").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L13	1	("6,018,810").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L14	1	("5,717,852").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L15	1	("5,678,065").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L16	1	("5,815,734").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L17	1	("5,935,208").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L18	1	("6,397,277").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L19	304	((fail\$2 near over) (fail\$2 adj over)) with memor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10

L20	224	L19 and (verif\$7 identifi\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L21	161	L20 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L22	60	L21 and "714"/\$.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L23	7	L21 and ((stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L24	51	L21 and ((fault\$3 defect\$3 error) near5 status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L25	51	L24 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L26	1	("5,717,852").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L27	1593	((spare redundant) (wir\$3 near test\$3) (fail\$2 near1 over) (switch\$3 near1 over)) with (channel bus\$3 conductor) and (LFSR shift near register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L28	35	((spare redundant) (wir\$3 near test\$3) (fail\$2 near1 over) (switch\$3 near1 over)) with (channel bus\$3 conductor) with (LFSR shift near register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10

L29	35	L28 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L30	115083	((verif\$7 identifi\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3 diagno\$5 test\$3) near7 (bus \$2 conductor\$1 channel\$1 signal near line)).dln.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L31	97440	L30 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L32	343	L31 and L27	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L33	304	((fail\$2 near over) (fail\$2 adj over)) with memor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L34	224	L33 and (verif\$7 identifi\$7 examin\$4 determin\$4 check \$3 detect\$3 discover\$3 find \$3 discover\$3 point\$3 locat \$3 plac\$3 diagnos\$6 inspect \$3 notic\$3 disclos\$3 spot\$4 reveal\$3).dln.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L35	161	L34 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L36	115	L35 and (status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal \$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inacura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L37	1	L32 and L36	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L38	343	L32 and L30	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L39	343	L38 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10

L40	101	L39 and "714"/\$.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L41	1	10/660,217	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L42	1	("5,440,538").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2008/02/26 17:10
L43	156	(fail\$4 near1 over near1 switch)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L44	139	L43 and (@pd< "20030911" or @ad< "20030911" or @prad< "20030911" or @rlad< "20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L45	41398	((verif\$7 identifi\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function \$4 work\$3) fail\$3 abnormal \$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L46	304	((fail\$2 near over) (fail\$2 adj over)) with memor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L47	224	L46 and (verif\$7 identifi\$7 examin\$4 determin\$4 check \$3 detect\$3 discover\$3 find \$3 discover\$3 point\$3 locat \$3 plac\$3 diagnos\$6 inspect \$3 notic\$3 disclos\$3 spot\$4 reveal\$3).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L48	161	L47 and (@pd< "20030911" or @ad< "20030911" or @prad< "20030911" or @rlad< "20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L49	115	L48 and (status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal \$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10

L50	38857	L45 and (chip\$1 device\$1 circuit\$1 module\$1 FWB\$1 print\$3 near wir\$3 near board \$1 semiconductor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L51	33209	L50 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L52	5732	L51 and "714"/\$.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L53	2774	L52 and ((number\$3 count\$3 tail\$4 total\$4 calculat\$3 comput\$3 tabulat\$3 add\$3 reckon\$4) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 line\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L54	2736	L53 and ((transmi\$5 send\$3 communicat\$3 transfer\$3 broadcast\$3 exchang\$3 access\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L55	51	L48 and ((fault\$3 defect\$3 error) near5 status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function \$4 work\$3) fail\$3 abnormal \$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L56	115083	((verifi\$7 identifi\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3 diagno\$5 test\$3) near7 (bus \$2 conductor\$1 channel\$1 signal near line)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L57	97440	L56 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L58	1593	((spare redundant) (wir\$3 near test\$3) (fail\$2 near1 over) (switch\$3 near1 over)) with (channel bus\$3 conductor) and (LFSR shift near register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10

L59	343	L57 and L58	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L60	304	((fail\$2 near over) (fail\$2 adj over)) with memor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L61	35	((spare redundant) (wir\$3 near test\$3) (fail\$2 near1 over) (switch\$3 near1 over)) with (channel bus\$3 conductor) with (LFSR shift near register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L62	224	L60 and (verif\$7 identif\$7 examin\$4 determin\$4 check \$3 detect\$3 discover\$3 find \$3 discover\$3 point\$3 locat \$3 plac\$3 diagnos\$6 inspect \$3 notic\$3 disclos\$3 spot\$4 reveal\$3).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L63	161	L62 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L64	115	L63 and (status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal \$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L65	343	L59 and L56	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
L66	343	L65 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/02/26 17:10
S1	137	(fail\$4 near1 over near1 switch)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 09:55
S2	127	S1 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:40

S3	20	S2 and ((verif\$7 identif\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 15:31
S4	38170	((verif\$7 identif\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:38
S5	35848	S4 and (chip\$1 device\$1 circuit\$1 module\$1 PWB\$1 print\$3 near wir\$3 near board\$1 semiconductor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 10:36
S6	31965	S5 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:21
S7	5002	S6 and "714"/\$.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 10:41
S9	2454	S7 and ((number\$3 count\$3 tail\$4 total\$4 calculat\$3 comput\$3 tabulat\$3 add\$3 reckon\$4) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 line\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 10:46
S10	2418	S9 and ((transmi\$5 send\$3 communicat\$3 transfer\$3 broadcast\$3 exchang\$3 access\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 10:55
S11	9	S10 and (fail with over with switch)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 10:56

S12	42	S10 and (fail\$4 with over with switch)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 13:49
S13	1	("5,440538").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/30 13:50
S14	1	("6,018,810").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/31 09:55
S15	1	("5,717,852").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/30 14:37
S16	1	("5,678,065").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/30 14:39
S17	1	("5,815,734").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/30 15:20
S18	1	("5,935,208").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/30 15:21
S19	1	("6,397277").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/31 10:12
S22	265	((fail\$2 near over) (fail\$2 adj over)) with memor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 15:33
S23	198	S22 and (verif\$7 identif\$7 examin\$4 determin\$4 check \$3 detect\$3 discover\$3 find \$3 discover\$3 point\$3 locat \$3 plac\$3 diagnos\$6 inspect \$3 notic\$3 disclos\$3 spot\$4 reveal\$3).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 15:34
S24	150	S23 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 16:52
S25	51	S24 and "714"/\$.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 16:37

S26	7	S24 and ((stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 16:48
S28	47	S24 and ((fault\$3 defect\$3 error) near5 status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 16:51
S29	47	S28 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/30 17:08
S30	1	("5,717,852").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/05/30 17:08
S31	1472	((spare redundant) (wir\$3 near test\$3) (fail\$2 near1 over) (switch\$3 near1 over)) with (channel bus\$3 conductor) and (LFSR shift near register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:19
S32	34	((spare redundant) (wir\$3 near test\$3) (fail\$2 near1 over) (switch\$3 near1 over)) with (channel bus\$3 conductor) with (LFSR shift near register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:19
S33	34	S32 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:52
S34	107292	((verit\$7 identifi\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3 diagno\$5 test\$3) near7 (bus\$2 conductor\$1 channel\$1 signal near line)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:39
S35	95197	S34 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:40

S36	339	S35 and S31	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:43
S37	266	((fail\$2 near over) (fail\$2 adj over)) with memor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:44
S38	199	S37 and (verif\$7 identif\$7 examin\$4 determin\$4 check \$3 detect\$3 discover\$3 find \$3 discover\$3 point\$3 locat \$3 plac\$3 diagnos\$6 inspect \$3 notic\$3 disclos\$3 spot\$4 reveal\$3).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:44
S39	151	S38 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:44
S40	108	S39 and (status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal \$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:44
S41	1	S36 and S40	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:52
S42	339	S36 and S34	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:52
S43	339	S42 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:52
S44	89	S43 and "714"/\$.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/05/31 10:53
S45	1	10/660,217	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:16
S46	1	("5,440,538").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/11/24 15:16
S47	150	(fail\$4 near1 over near1 switch)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S48	134	S47 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59

S49	40291	((verif\$7 identifi\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S50	291	((fail\$2 near over) (fail\$2 adj over)) with memor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S51	215	S50 and (verif\$7 identifi\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3).dm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S52	159	S51 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S53	114	S52 and (status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S54	37826	S49 and (chip\$1 device\$1 circuit\$1 module\$1 PWB\$1 print\$3 near wir\$3 near board\$1 semiconductor)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S55	32808	S54 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @riad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S56	5658	S55 and "714"/\$.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59

S57	2737	S56 and ((number\$3 count\$3 fail\$4 total\$4 calculat\$3 comput\$3 tabulat\$3 add\$3 reckon\$4) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 line\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S58	2699	S57 and ((transmi\$5 send\$3 communicat\$3 transfer\$3 broadcast\$3 exchang\$3 access\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S59	50	S52 and ((fault\$3 defect\$3 error) near5 status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function \$4 work\$3) fail\$3 abnormal \$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S60	112420	((verif\$7 indentif\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3 diagno\$5 test\$3) near7 (bus \$2 conductor\$1 channel\$1 signal near line)).dln.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S61	96713	S60 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S62	1554	((spare redundant) (wir\$3 near test\$3) (fail\$2 near1 over) (switch\$3 near1 over)) with (channel bus\$3 conductor) and (LFSR shift near register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S63	341	S61 and S62	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S64	291	((fail\$2 near over) (fail\$2 adj over)) with memor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S65	35	((spare redundant) (wir\$3 near test\$3) (fail\$2 near1 over) (switch\$3 near1 over)) with (channel bus\$3 conductor) with (LFSR shift near register)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59

S66	215	S64 and (verif\$7 indentif\$7 examin\$4 determin\$4 check\$3 detect\$3 discover\$3 find\$3 discover\$3 point\$3 locat\$3 plac\$3 diagnos\$6 inspect\$3 notic\$3 disclos\$3 spot\$4 reveal\$3).dlm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S67	159	S66 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S68	114	S67 and (status (stor\$3 with (information identi\$7)) with (error fault\$3 defect\$3 (mal\$1 non) near1 (function\$4 work\$3) fail\$3 abnormal\$4 irregularity imperfect\$3 inaccura\$3) with (bus\$2 conductor\$1 channel\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S69	341	S63 and S60	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59
S70	341	S69 and (@pd<"20030911" or @ad<"20030911" or @prad<"20030911" or @rlad<"20030911")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/24 15:59

2/26/2008 5:56:25 PM

C:\Documents and Settings\gmerant\My Documents\EAST\Workspaces\10_660_217.wsp